

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,904	11/03/2003	Sean C. Tyler	200310791-1	4382
22879	7590 08/11/2005		EXAM	INER
HEWLETT PACKARD COMPANY			LEVIN, NAUM B	
P O BOX 2724	400, 3404 E. HARMON	Y ROAD		
INTELLECTUAL PROPERTY ADMINISTRATION			ART UNIT	PAPER NUMBER
FORT COLLI	NS, CO 80527-2400		2825	

DATE MAILED: 08/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			pr			
	Application No.	Applicant(s)	1)			
055	10/699,904	TYLER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Naum B. Levin	2825				
The MAILING DATE of this communication apperiod for Reply	ppears on the cover sheet	with the correspondence address	;			
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory perior - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	. 1.136(a). In no event, however, may ply within the statutory minimum of to d will apply and will expire SIX (6) M ate, cause the application to become	a reply be timely filed hirty (30) days will be considered timely. ONTHS from the mailing date of this communi ABANDONED (35 U.S.C. § 133).	ication.			
Status			•			
1)⊠ Responsive to communication(s) filed on 15.	April 2004.					
	is action is non-final.					
3) Since this application is in condition for allow		atters, prosecution as to the mer	its is			
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-39</u> is/are pending in the applicatio	n.					
4a) Of the above claim(s) is/are withdra						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-39</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and	or election requirement.					
Application Papers						
9)⊠ The specification is objected to by the Examir	ner.					
10)⊠ The drawing(s) filed on <u>03 November 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the corre	• , ,		l21(d).			
11) The oath or declaration is objected to by the E	•		• •			
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 	nts have been received.					
3. Copies of the certified copies of the pri	•	en received in this National Stage	е			
• •	application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
	,					
Attachment(s)	—	0 (070 (45)				
1) Motice of References Cited (PTO-892) 2) D Notice of Draftsperson's Patent Drawing Review (PTO-948)		v Summary (PTO-413) o(s)/Mail Date				
 Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 11/03/03. 		f Informal Patent Application (PTO-152)				

Art Unit: 2825

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities: on page 7, line 24 replace "risking" with – rising--.

Appropriate correction is required.

Claim Objections

2. Claim 14 is objected to because following informalities:

line 2, replace "the timing constraint" with – a timing constraint --.

3. Claim 32 is objected to because following informalities:

line 7, replace "a first path" with – the first path --.

4. In claim 32 Applicant must clarify:

"the second path including ... at least a portion of the second path";

"a second downstream path" (what is difference between "a second path" and "a second downstream path"?).

Appropriate corrections are required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2825

Claims 1-39 are rejected under 35 U.S.C. 102(b) as being unpatentable by Avidan (US Patent 5,740,347).

5. As to claims 1, 13, 21, 27 and 32 Avidan discloses:

(1) A system comprising:

a calculator that provides an indication of slack for at least one node of a circuit design, the at least one node (e.g. latch) being capable of operating transparently (open) and non-transparently (close), the indication of slack being determine based on a minimum slack value for paths that include the at least one node, regardless of path transparency (gray and black box model) (col.3, II.12-20; col.4, II.63-67; col.5, II.1-16; col.5, II.45-67; col.6, II.1-6; col.6, II.37-67; col.7, II.1-15; col.7, II.28-44; col.10, II.52-64; col.11, II.1-34; col.12, II.51-67; col.13, II.1-8; col.20, II.13-34)

(13) A system to facilitate design of an integrated circuit, comprising:

a path tracer (circuit analyzer with path search algorithm/model) that traces paths associated with a given node of a circuit design, regardless of path transparency (col.2, II.48-60; col.5, II.23-28; col.22 II.7-15); and

a calculator that determines timing characteristics associated with the given node based on timing information for the traced paths, a minimum timing characteristic being selected from the timing characteristics determined for the traced paths associated with the given node (col.6, II.37-67; col.7, II.1-15; col.11, II.3-67; col.12, II.1-40; col.22, II.16-27);

Art Unit: 2825

(21) A system comprising:

means (circuit analyzer with path search algorithm/model) for tracing at least one path that includes a given node of a circuit design by analyzing the at least one path transparently, the given node being capable of operating transparently and non-transparently (col.2, II.48-60; col.5, II.23-28; col.22 II.7-15);and

means (calculator) for determining potential slack for the given node, the potential slack corresponding to a minimum slack value determined from slack values associate with the given node, including a slack value associated with the at least one path, based on timing information for the at least one path (col.11, II.35-67; col.12, II.1-40);

(27) A computer-readable medium having computer-executable instructions for performing a method comprising (Abstract):

computing slack associated with a given node of a circuit design by analyzing each path associated with the given node transparently (col.4, II.63-67; col.5, II.1-16; col.5, II.45-67; col.6, II.1-6); and

determining a potential slack value as a minimum of the compute slack associated with the given node (col.11, II.35-67; col.12, II.1-40);

(32) A method comprising:

determining a timing characteristic for a first path associated with a node of a given circuit design (col.4, II.63-67; col.5, II.1-16; col.5, II.45-67; col.6, II.1-6); determining the timing characteristic for at least a second path regardless of path

transparency, the second path including the node and at least a portion of the second path being capable of operating transparently (gray box model) and non- transparently (black box model) (col.6, II.37-67; col.7, II.1-15); and

providing an indication of timing performance associated with the node according to a minimum of the timing characteristic for a first path and the timing characteristic for at least a second downstream path (col.3, II.12-20; col.7, II.28-44; col.11, II.1-34; col.12, II.51-67; col.13, II.1-8; col.20, II.13-34).

- 6. <u>As to claims 2-12, 14-20, 22-26, 28-31 and 33-39</u> Avidan recites:
- (2), (5), (10), (17), (19), (33), (36) The system/method, wherein at least one path that includes the at least one node is a non-transparent path based on timing information for the at least one path (col.13, II.4-8);
- (3), (6), (15), (29), (35), (37) The system/program/method, wherein the at least one node further comprises at least one latch (col.22, II.16-27);
- (4), (16), (25), (30), (38) The system/program/method, wherein the at least one node further comprises a plurality of latches being clocked by substantially out-of-phase clock signals (col.4, II.60-63; col.13, II.65-67; col.14, II.1-37);
- (7), (8) The system further comprising a path tracer that traces each path that includes the at least one node, regardless of path transparency, the calculator determining slack for the paths (col.2, II.48-60; col.5, II.23-28; col.6, II.37-67; col.7, II.1-15; col.11, II.3-67; col.12, II.1-40; col.22, II.7-27);
- (9), (11), (14), (18), (20), (26), (28) The system/program further comprising a potential slack calculator (col.11, II.35-67; col.12, II.1-40);

Art Unit: 2825

(12), (39) A computer implemented design tool comprising the system/method of claim 1/32 (Abstract);

(22)-(24), (31) The system/program/method further comprising means for determining slack for each of the paths (col.6, II.37-67; col.7, II.1-15; col.11, II.35-67; col.12, II.1-40);

(34) The method, wherein the timing characteristic is at least one of slack and clock skew associated with the node (col.10, II.52-64).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Naum B. Levin whose telephone number is 571-272-1898. The examiner can normally be reached on M-F (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Smith can be reached on 571-272-1907. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2825

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

NL

Nam Levin

AU-2825